

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)[Sign in](#)**Google**

switch user

Search[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 10,200,000 for **switch user**. (0.05 seconds)

Windows XP: How to switch between users

Sponsored Links

Switch User

Shopping Made Easy at Yahoo!
Low Prices On Switch User.
[shopping.yahoo.com](#)

Switch User

Find Switches at Great Prices
Shop, Compare and Save at Pronto.
[Switch.Pronto.com](#)

Switch User

Switch User Info.
You Want It... We Got It
[Jux2.com/Switch+User](#)

User Switch

Bargain Prices. Smart Deals.
Save on User Switch!
[Shopzilla.com](#)

Learn how to easily switch between user accounts in Windows XP.

[www.microsoft.com/windowsxp/using/setup/winxp/switchusers.mspx](#) - 11k -

[Cached](#) - [Similar pages](#)

Windows XP: Turn On Fast User Switching

When multiple users share a computer, logging off and logging on to the computer in order to switch users can become tiresome. Fast User Switching ...

[www.microsoft.com/windowsxp/using/accessibility/fastuserswitching.mspx](#) - 16k -

[Cached](#) - [Similar pages](#)

Difference Between Log Off and Switch User Commands

When Fast User Switching functionality is turned on in Microsoft Windows XP, and you click Log Off on the Start menu, you have the option to click a Log Off ...

[support.microsoft.com/kb/279782](#) - [Similar pages](#)

User Agent Switcher :: Firefox Add-ons

Adds a menu and a toolbar button to switch the user agent of the browser. 48 reviews.

Updated March 17, 2008. 20081 weekly downloads 2862960 total downloads ...

[https://addons.mozilla.org/en-US/firefox/addon/59](#) - 30k - [Cached](#) - [Similar pages](#)

SU - Switch User

Switch User. Syntax SU "[cmdline]" [domain] [[Winsta\]Desktop] [options] Key cmdline The command to run (default =%comspec%) domain The domain for the user ...

[www.ss64.com/nt/su.html](#) - 5k - [Cached](#) - [Similar pages](#)

Switch User in Windows XP

That mechanism, not surprisingly, is Switch User. Switch User is also a bit of a misnomer because it also allows a second, third, or even more users to log ...

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)[Sign in](#)

ssh command datrange:2449718-2453067

Search

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about 26,600 for ssh command datrange:2449718-2453067. (0.11 seconds)

ssh - Linux Command - Unix Command

Linux / Unix Command Library: ssh. Learn about its synopsis, description, options, and examples.

linux.about.com/od/commands/a/blcmd11_ssh.htm - 40k - [Cached](#) - [Similar pages](#)

Common SSH Commands - Linux Shell Commands - Hosting Tutorials

An easy to follow guide of command commands in SSH or linux shell commands, with an explanation of what they are used for and an example of their use.

www.webhostgear.com/35.html - 73k - [Cached](#) - [Similar pages](#)

UNIX man pages : ssh (1)

-f Requests ssh to go to background just before command execution. /etc/ ssh/sshr Commands in this file are executed by ssh when the user logs in just ...

unixhelp.ed.ac.uk/CGI/man-cgi?ssh+1 - 37k - [Cached](#) - [Similar pages](#)

connect - Trac

You can make SSH session beyond the firewall with this command, Combination of ssh and connect command have more interesting usage. ...

www.meadowy.org/~gotoh/projects/connect - 37k - [Cached](#) - [Similar pages](#)

FSH -- Fast SSH remote command execution

FSH is an extension to ssh (on UNIX only) that permits sending multiple commands to the remote host through one SSH tunnel.

www.lysator.liu.se/fsh/ - 8k - [Cached](#) - [Similar pages](#)

Windows NT Utilities

SSH and SCP for Windows 95 and NT (command line only version). I've done a port of ssh and scp to Windows 95 and NT. SSH is the Secure Shell, ...

bmr.c.berkeley.edu/people/chafee/winntutil.html - 8k - [Cached](#) - [Similar pages](#)

HOWTO: set up ssh keys

Now bury is ready to accept your ssh key. How to tell it which keys to use? The ssh-add command will do it. For a test, type. ssh-agent sh -c 'ssh-add ...

pkeck.myweb.uga.edu/ssh/ - 10k - [Cached](#) - [Similar pages](#)

SSH: Command Line Options

Note: A pure command line version of SSH Secure Shell for Workstations is shipped with the Windows client. The command line client SSH2. ...

www.ssh.com/support/documentation/online/ssh/winhelp/32/command_line_options.html - 11k - [Cached](#) - [Similar pages](#)

Hacking Linux Exposed

Summary: Introducing Authprogs, software which lets you control which machines can run authorized commands via SSH using SSH Identities. ...

www.hackinglinuxexposed.com/articles/20030115.html - 24k - [Cached](#) - [Similar pages](#)

SecurityFocus Secure Shell: ssh remote command

I'm trying to do a command on a remote machine. ... But this is not acceptable for a script. ... This message was sent using SecureNet Mailman. ...

www.derkeller.com/Mailing-Lists/securityfocus/Secure_Shell/2003-05/0123.html - 11k - [Cached](#) - [Similar pages](#)

Web Images Maps News Shopping Gmail more ▾

Sign in



same user name multiple (role OR class) daterange:2449718-2453067

Search

Web

Results 1 - 10 of about 82,600 for same user name multiple (role OR class) daterange:2449718-2453067. (C

The global structure of an HTML document

Any number of elements may be assigned the same class name or names. Multiple class names must be separated by white space characters. ...

www.w3.org/TR/REC-html40/struct/global.html - 74k - Cached - Similar pages

by H Every - All 94 versions

: Class LoginServer

constructor with no connection limit, allowing multiple logons with the same username (backwards compatible with version 0.0.1). LoginServer(java.lang.Class ...

www.cgarbs.de/stuff/docs/classes/de/cgarbs/net/LoginServer.html - 21k -

Cached - Similar pages

Configuring Security in Web Applications

When you use any type of authentication, all Web Applications that use the same cookie name use a single sign-on for authentication. Once a user is ...

edocs.bea.com/wis/docs61/webapp/security.html - 29k - Cached - Similar pages

Key Programming Considerations

The DefaultContext class has the same class definition that would have been generated ...

You will usually, but not necessarily, use the same URL, username, ...

www.cs.umbc.edu/help/oracle9/java.815/a64654/keyprog3.htm - 33k -

Cached - Similar pages

Avoiding Multiple Application Instances

Avoiding multiple instances started in the same user session, no matter how The function returns the HWND of the first window whose class name matches ...

www.flounder.com/nomultiples.htm - 41k - Cached - Similar pages

Add project members and assigning roles

This is to avoid confusion in granting roles to a user where multiple users have the same full name. Select the role you wish to grant in the Grant there ...

www.tigris.org/nonav/sddocs/ProjectOwnerMembers.html - 15k - Cached - Similar pages

Security Realms

Stores Username-Password credential mapping information. Having multiple Role Mapping providers allows you to work within existing infrastructure ...

edocs.beasys.com/wis/docs61/secintro/realms_chap.html - 59k - Cached - Similar pages

business anyplace

"Threads Anyplace" implements a user interface class that is responsible for ... when using multiple threads; I have implemented the same user interface ...

www.businessanyplace.net/?p=threads - 21k - Cached - Similar pages

Bug ID: 4225434 Java 1.2 class loader fails to load multiple ...

When loading the class, the same Classloader is used by all applications in ... It's up to the user to trust or not trust. Preventing the multiple load of ...

bugs.sun.com/bugdatabase/view_bug.do?bug_id=4225434 - 60k - Cached - Similar pages

Configuring ISDN DDR with Dialer Profiles - Cisco Systems

A map-class can be referenced from multiple dialer interfaces. ... Should match the

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)[Sign in](#)

Google

sudo

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 9,690,000 for sudo. (0.05 seconds)

Sudo Main Page

Run selected commands as root, with the users' own password. Allows the administrator to grant limited root privileges to a subset of users, without giving ...

[www.sudo.ws/](#) - 8k - [Cached](#) - [Similar pages](#)

sudo - Wikipedia, the free encyclopedia

The sudo (super user do; officially pronounced /ˈsuːduː/, [2] though /ˈsɪːdoʊ/ is also common) command is a program for Unix-like computer operating systems ...

[en.wikipedia.org/wiki/Sudo](#) - 42k - [Cached](#) - [Similar pages](#)

xkcd - A Webcomic - Sandwich

A webcomic of romance, sarcasm, math, and language. New merchandise in the store ! XKCD updates every Monday, Wednesday, and Friday. ...

[xkcd.com/149/](#) - 9k - [Cached](#) - [Similar pages](#)

See results for: *sudoku*

Web Sudoku - Billions of Free Sudoku Puzzles to Play Online

Free puzzles with difficulty levels ranging from easy to evil. Provides print and online syndication.

[www.websudoku.com/](#)

Sudoku - Wikipedia, the free encyclopedia

Sudoku (数独, sūdoku?) listen (help·info) is a logic-based number-placement puzzle. The objective is to fill a 9×9 grid so that each column, each row, ...

[en.wikipedia.org/wiki/Sudoku](#)

Sudoku

Sudoku, Powered by RealArcade - the Home for Sudoku, Free Sudoku Games, Pappocom Sudoku Puzzle Solutions and Sudoku Players' Forums.

[www.sudoku.com/](#)

RootSudo - Community Ubuntu Documentation

For instance consider sudo ls > /root/somefile will not work since it is the ... You should never use normal sudo to start graphical applications as root. ...

[https://wiki.ubuntu.com/RootSudo](#) - 31k - [Cached](#) - [Similar pages](#)

Debian -- Details of package sudo in etch

Provide limited super user privileges to specific users.

[packages.debian.org/stable/admin/sudo](#) - 14k - [Cached](#) - [Similar pages](#)

Debian -- Package Search Results -- sudo

You have searched for packages that names contain sudo in all suites, all sections, and all architectures. Found 9 matching packages. ...

[packages.debian.org/sudo](#) - 17k - [Cached](#) - [Similar pages](#)

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)
[Sign in](#)

switch user command

Search

[Advanced Search](#)
[Preferences](#)
Customized based on recent search activity. [More detail](#)

Web

Results 1 - 10 of about 502,000 for [switch user command](#). (0.32 seconds)

Windows Tip: Switch user accounts from the Command Prompt

Aug 17, 2007 ... You can switch users from the Windows Command Prompt without logging off mdash if say you need to access folders.
[lifehacker.com/software/windows-tip/switch-user-accounts-from-the-command-prompt-290435.php](#) - [Similar pages](#)

How To Use the Fast User Switching Feature in Windows XP

The current user's session remains active and another user can now log on and use the computer. You can initiate the Switch User command in any of the ...
[support.microsoft.com/kb/279765](#) - [Similar pages](#)

Linux User Commands Tips

su - Linux User. To switch to another user, use the su command. This is most commonly used to switch to the root account. Example: To switch to root ...
[www.ahinc.com/linux101/users.htm](#) - 52k - [Cached](#) - [Similar pages](#)

su (Unix) - Wikipedia, the free encyclopedia

su (substitute user or switch user) is a Unix command used to run the shell of another user without logging out. It is commonly used to change to root user ...
[en.wikipedia.org/wiki/Su_\(Unix\)](#) - 39k - [Cached](#) - [Similar pages](#)

Su - Linux Commands

In response to the su (switch user) command, you'll be prompted for the root account password. If you enter the password correctly, your prompt will change ...
[lowfatlinux.com/linux-switch-user-su.html](#) - 18k - [Cached](#) - [Similar pages](#)

In Unix, what are the sudo and su commands? - Knowledge Base

The su command stands for "switch user", and allows you to become another user. To use the su command on a per-command basis, enter: su user -c command ...
[kb.iu.edu/data/amyi.html](#) - 11k - [Cached](#) - [Similar pages](#)

add delete and switch user in ubuntu by command lines | NamHuy

Apr 20, 2008 ... + How can I delete a user? sudo userdel <username>. Tags: add switch delete user commands ubuntu linux. This entry was posted on Sunday, ...
[namhuy.org/blog/2008/04/20/add-delete-and-switch-user-in-ubuntu-by-command-lines/](#) - 6k - [Cached](#) - [Similar pages](#)

Switch user accounts from the Command Prompt « //burnz.blog

You can switch users from the Windows Command Prompt without logging off—if say, you need to access folders or files for another Windows user account. ...
[burnz.wordpress.com/2007/08/20/switch-user-accounts-from-the-command-prompt/](#) - 30k - [Cached](#) - [Similar pages](#)

Unix Commands, snoop, vi editor

Overview of Unix Commands examining commands such as vi, nbstat, cat, gzip, tar, ...
 The command switch user switches the login user to another user, e.g. ...
[www.rhysnaden.com/unix.htm](#) - 43k - [Cached](#) - [Similar pages](#)

Windows XP Commands

SU Switch User SUBINACL Edit file and folder Permissions, Ownership and Domain ...
 Commands marked ~ are Internal commands only available within the CMD ...